

~~SECRET~~

SAPG-9826

Copy 4 of 6

10 October 1956

MEMORANDUM FOR: Project Director of Administration

SUBJECT : Possible Requirement for Increased Floor Space in Overseas Detachments for Ramo Wooldridge

1. The memorandum dated 8 October 1956 subject as above, the following is submitted on the space allocated to Ramo Wooldridge Station B:

25X1A

[redacted] submitted to this office a plan suggested layout of base electrical facilities dated 5 December 1955 in which he requested space 60 X 20 feet or 1200 square feet. The space provided for Ramo Wooldridge at Station B is 44 X 40 feet or 1760 square feet. Of this 1760 square feet at least 1600 square feet is useable space.

25X1A

2. The undersigned believes [redacted] should be queried as to the requirement for additional space.

25X1A

PCP/vt (10 Oct 56)

[redacted]  
Director of Materiel  
PCS/DCI

Distribution:

- 1 - Addressee
- 2 - Project Director
- 3 - D/Project Director
- 4 - Contracting Officer ✓
- 5 - Materiel
- 6 - Chrono

*File -  
A-102. correct  
HIC*

DOCUMENT NO. 30  
NO CHANGE IN CLASS. X  
DECLASSIFIED  
CLASS. CHANGED TO: TS S C  
NEXT REVIEW DATE: 2011  
DATE: 14/2/91 REVIEWER: 010956

**SECRET**

SAPC-9761

Copy 4 of 6

8 October 1956

MEMORANDUM FOR: Project Material Officer

SUBJECT : Possible Requirement for Increased Floor Space in Overseas Detachments for Ramo Wooldridge

25X1A

25X1A

25X1A

1. According to [redacted] of Ramo-Wooldridge, with the advent of Systems 3 and 4 in the field, Ramo-Wooldridge will require additional shop space in each of the overseas bases. [redacted] stated that he considered the shop space available to him in Detachment 3 inadequate now, even without the requirements imposed by Systems 3 and 4.

25X6

2. [redacted] said that he furnished Project Headquarters with complete shop space requirements on the entire package of Systems 1 through 4. I suspect that you may wish to give consideration to his stated feelings and advise him of any changes you feel can and should be made. Based on my own understanding of the space potentially available to us in [redacted] in the event we go there, I would definitely raise the question concerning the adequacy of Ramo-Wooldridge shop space there, which you may wish to keep in mind if the decision is that Detachment C goes to the Far East.

JAMES A. CUNNINGHAM, Jr.  
Project Director of Administration  
PCB/DCI

JAC/alh

Distribution:

- 1 - Addressee
- 2 - Project Director
- 3 - D/Project Director
- 4 - Contracting Officer
- 5 - Administration
- 6 - Chrono

**SECRET**

31  
DOCUMENTED  
10 OCT 1956  
11 OCT 1956  
CLASSIFIED TO CS C 2011  
NEXT REVIEW DATE